

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A digital camera with an automatic image transmission function, comprising:

a transmission section, having predetermined configuration and predetermined transmission settings, for transmitting photo images; and

a transmission control unit connected to said transmission section, said transmission control unit judging whether a transmission allowance condition of completion of photography is satisfied, wherein

if said transmission control unit judges that the completion of photography condition is satisfied, then said transmission control unit judges whether there is at least one transmission allowance condition other than the completion of photography to be checked, and

if said transmission control unit judges that there is no transmission allowance condition other than the completion of photography, then said transmission section transmits said photo images.

2. (Previously Presented) The digital camera as claimed in claim 54, further comprising a battery, wherein,

said transmission control unit includes a battery status-obtaining section connected to said battery,

said battery status-obtaining section obtains a storage level of said battery, and

said at least one transmission allowance condition other than the completion of photography includes the storage level of said battery being at or above a predetermined storage level.

3. (Withdrawn) The digital camera as claimed in claim 2, further comprising an LCD monitor, wherein

said transmission control unit includes an image quality selection-obtaining section connected to said LCD monitor, and said image quality selection-obtaining section notifies a user that said photo images are transmittable by changing an image quality, based on the information of remaining storage level of said battery obtained by said battery status-obtaining section, and obtains a selection of said image quality from the user; and

said predetermined transmission allowance condition includes a condition when a data amount required for said selected image quality is within a predetermined range.

4. (Previously Presented) The digital camera as claimed in claim 54, further comprising a timer, wherein

said transmission control unit includes a time-obtaining section connected to said timer, said time-obtaining section obtains time, and

said at least one transmission allowance condition other than the completion of photography includes said time being within a predetermined time range.

5. (Original) The digital camera as claimed in claim 4, wherein said transmission control unit notifies a user of a period of time to an end of said predetermined time range, based on said time obtained by said time-obtaining section.

6. (Previously Presented) The digital camera as claimed in claim 54, further comprising a memory that stores said photo images, wherein

said transmission control unit includes a data amount-obtaining section connected to said memory,

said data amount-obtaining section obtains a data amount of said photo images to be transmitted, and

said at least one transmission allowance condition other than the completion of photography includes a cost for transmitting said photo images based on the data amount being within a predetermined cost range.

7. (Original) The digital camera as claimed in claim 6, wherein said data amount-obtaining section accepts a selection of said data amount by a user.

8. (Original) The digital camera as claimed in claim 6, further comprising:

a volatile memory connected to said data amount-obtaining section, said volatile memory providing said stored photo images to said transmission control unit and erasing said stored photo images after providing said photo images; and

a non-volatile memory connected to said data amount-obtaining section, said non-volatile memory storing said photo images after said transmission section transmits said photo images.

9. (Previously Presented) The digital camera as claimed in claim 54, wherein
- a cost for a transmission is calculated based on unit communication time,
- a remaining time is an amount of time of a last unit communication time calculated as being not needed for transmission of the photo images, and
- said at least one transmission allowance condition other than the completion of photography includes the remaining time being at or below a predetermined remaining time level.

10. (Previously Presented) The digital camera as claimed in claim 1, further comprising a release switch, wherein
- said transmission control unit includes a transmission control-obtaining section connected to said release switch, and said transmission control-obtaining section obtains an instruction to control transmission of each of said photo images after photography.

11. (Previously Presented) The digital camera as claimed in claim 1, wherein said transmission control unit includes a transmission addressee registration section for registering a phone number of an addressee for transmitting said photo images.

12. (Withdrawn) The digital camera as claimed in claim 1, wherein:

said predetermined transmission allowance condition includes a condition when a number of said photo images to be transmitted reaches a predetermined number; and

the digital camera automatically transmits a plurality of said photo images at one time.
13. (Withdrawn) The digital camera as claimed in claim 1, wherein said predetermined transmission allowance condition includes a condition when a predetermined period of time has passed after photography is finished.
14. (Withdrawn) The digital camera as claimed in claim 1, wherein:

said predetermined transmission allowance condition includes a condition when a power of the digital camera is to be turned off and there are said photo images to be transmitted; and

said power is turned off after a plurality of said photo images to be transmitted are automatically transmitted at one time.
15. (Withdrawn) The digital camera as claimed in claim 1, wherein:

said predetermined transmission allowance condition includes a condition when a power of the digital camera is turned on and there are said photo images to be transmitted, a plurality of said photo images are automatically transmitted at one time.

16. (Withdrawn) The digital camera as claimed in claim 1, further comprising
a memory for temporarily and sequentially storing said photo images, wherein:
said predetermined transmission allowance condition includes a condition when at least
one of a data capacity and a number of said photo images stored in said memory becomes more
than a predetermined amount; and
the digital camera automatically transmits said photo images in an order that said photo
images are stored.
17. (Withdrawn) The digital camera as claimed in claim 1, wherein the digital camera
automatically transmits said photo images when a wireless communication means is
communicable.
18. (Withdrawn) The digital camera as claimed in claim 1, wherein the digital camera
suspends transmitting said photo images if a photography operation is started while transmitting
said photo images, and restarts transmitting said suspended photo images after said photography
operation is finished.
19. (Withdrawn) The digital camera as claimed in claim 1, wherein the digital camera has a
plurality of said transmission allowance conditions, and said transmission allowance conditions
are selectable.

20. (Currently Amended) A method for controlling a transmission over a predetermined transmission configuration having predetermined transmission settings, comprising:

judging whether or not photography is completed;

judging whether there is at least one transmission allowance condition, provided that said transmission settings have been predetermined, other than a completion of photography to be checked when it is judged that the photography is completed; and

transmitting photo images when it is judged that there is no transmission allowance condition other than the completion of photography.

21. (Previously Presented) The method as claimed in claim 55, wherein the at least one transmission allowance condition includes a battery storage level condition, said method further comprising:

obtaining a storage level of a battery; and

judging the battery storage level condition to be satisfied if the storage level of said battery is at or above a predetermined storage level.

22. (Withdrawn) The method as claimed in claim 21, further comprising:

notifying a user that said photo images are transmittable by changing an image quality, based on obtained information of remaining storage level of said battery;

obtaining a selection of said image quality from the user; and

judging whether or not a data amount required for said selected image quality is within a predetermined range.

23. (Previously Presented) The method as claimed in claim 55, wherein the at least one transmission allowance condition other than the completion of photography includes an acceptable time condition, said method further comprising:

obtaining time; and

judging the acceptable time condition as being satisfied if said time is within a predetermined time range.

24. (Previously Presented) The method as claimed in claim 23, further comprising notifying a user of a period of time to an end of said predetermined time range, based on said obtained time.

25. (Previously Presented) The method as claimed in claim 55, wherein the at least one transmission allowance condition other than the completion of photography includes a data amount condition, said method further comprising:

obtaining a data amount of said photo images to be transmitted; and

judging said data amount condition as being satisfied if a cost for transmitting said photo images based on said data amount is within a predetermined cost range.

26. (Original) The method as claimed in claim 25, further comprising:

selecting a data amount by a user;

transmitting photo images corresponding to said data amount selected by the user.

27. (Previously Presented) The method as claimed in claim 55, wherein a cost of transmission is based on a number of units of communication time required for transmitting, wherein a remaining time is an amount of time of a last unit of communication time calculated as being not needed for transmission, and wherein the at least one transmission allowance condition other than the completion of photography includes a remaining time condition wherein the remaining time is an amount of time of a last unit, said method further comprising:

judging the remaining time condition as being satisfied if the remaining time is at or below a predetermined remaining time level.

28. (Previously Presented) The method as claimed in claims 20, further comprising:

obtaining an instruction to control transmitting for each of said photographed images, after photography.

29. (Previously Presented) The method as claimed in claim 20, further comprising:

registering a phone number of an addressee for transmitting said photo images.

30. (Withdrawn) The method as claimed in claim 20, further comprising:

judging whether or not a number of said photo images to be transmitted has reached a predetermined number; and

transmitting a plurality of said photo images at one time when said number reaches said predetermined number.
31. (Withdrawn) The method as claimed in claim 20, further comprising

judging whether or not a predetermined period of time has passed after photography is finished.
32. (Withdrawn) The method as claimed in claim 20, further comprising:

judging whether or not a power of the digital camera is to be turned off; and

judging whether or not there are said photo images to be transmitted, wherein

said power is turned off after a plurality of said photo images to be transmitted are automatically transmitted at one time.
33. (Withdrawn) The method as claimed in claim 20, further comprising:

judging whether or not a power of the digital camera is turned on; and

judging whether or not there are said photo images to be transmitted, wherein

a plurality of said photo images are automatically transmitted at one time.

34. (Withdrawn) The method as claimed in claim 20, further comprising temporarily and sequentially storing said photo images in a memory; judging whether or not at least one of a data capacity and a number of said photo images stored in said memory has become more than a predetermined amount; and automatically transmitting said stored photo images in an order of storage.
35. (Withdrawn) The method as claimed in claim 34, further comprising erasing said photo images from a main memory after transmitting.
36. (Withdrawn) The method as claimed in claim 20, further comprising: obtaining information whether or not a wireless communication means is communicable; and automatically transmitting said photo images when a wireless communication means is communicable.
37. (Withdrawn) The method as claimed in claim 20, further comprising suspending transmitting of said photo images if a photography operation is started while transmitting said photo images and restarting transmitting said suspended photo images after said photography operation is finished.

38. (Previously Presented) The method as claimed in claim 20, wherein said judging is based on a plurality of conditions.

39. (Previously Presented) The digital camera as claimed in claim 4, wherein said predetermined time range is based on a cost of transmission.

40. (Currently Amended) The digital camera as claimed in claim 6, wherein when the cost for transmitting said photo images is above the predetermined cost range, said digital camera ~~configured to provide a user an option to compress~~ compresses the photo images so that the cost of transmitting the compressed photo images is within the predetermined cost range.

41. (Currently Amended) The digital camera as claimed in claim 6, wherein when the cost for transmitting said photo images is ~~above the predetermined cost range~~ based on units of time, said digital camera is configured to transmit a subset of said photo images so that the cost of transmitting the subset of said photo images is ~~within the predetermined cost range~~ optimized.

42. (Currently Amended) The digital camera as claimed in claim 41, wherein
the cost of transmitting is based on a number of units of time, each unit of time being of a fixed duration, and
the subset of said photo images is chosen to minimize ~~an amount~~ a portion of a last unit of time not used for transmission.

43. (Previously Presented) The digital camera as claimed in claim 54, wherein said at least one transmission allowance condition other than the completion of photography includes a time duration required for transmitting said photo images being at or above a predetermined time duration level.

44. (Currently Amended) The digital camera as claimed in claim 1, wherein said transmission section ~~transmits~~ communicates wirelessly ~~to~~ with a wireless communication device.

45. (Previously Presented) The digital camera as claimed in claim 44, wherein said wireless communication device is a cell phone.

46. (Previously Presented) The method of claim 20, wherein the method is performed by a camera for transmitting the photo images.

47. (Previously Presented) The method as claimed in claim 23, wherein said predetermined time range is based on a cost of transmission.

48. (Currently Amended) The method as claimed in claim 25, further comprising:

~~providing a user with an option determining whether~~ to compress the photo images so that the cost of transmitting the compressed photo images is within the predetermined cost range when the cost for transmitting said photo images is above the predetermined cost range; and

compressing the photo images based on the ~~user choosing determination~~ to compress the photo images.

49. (Currently Amended) The method as claimed in claim 25, further comprising transmitting a subset of said photo images so that the cost of transmitting the subset of said photo images is ~~within the predetermined cost range~~ optimized when the cost for transmitting said photo images is based on units of time ~~above the predetermined cost range~~.

50. (Currently Amended) The method as claimed in claim 49, wherein

the cost of transmitting is based on a number of units of time, each unit of time being of a fixed duration, and

the subset of said photo images is chosen to minimize ~~an amount~~ a portion of a last unit of time not used for transmission.

51. (Previously Presented) The method as claimed in claim 55, wherein said at least one transmission allowance condition other than the completion of photography includes a time

duration required for transmitting said photo images being at or above a predetermined time duration level.

52. (Previously Presented) The method as claimed in claim 20, further comprising:
transmitting the photo images to a wireless communication device.

53. (Previously Presented) The method as claimed in claim 52, wherein said wireless communication device is a cell phone.

54. (Previously Presented) The digital camera as claimed in claim 1, wherein
if said transmission control unit judges that there is at least one transmission allowance condition other than the completion of photography to be checked, then said transmission control unit judges whether the at least one transmission allowance condition other than the completion of photography is satisfied and said transmission section transmits said photo images if said transmission control unit judges that the at least one transmission allowance condition other than the completion of photography is satisfied.

55. (Previously Presented) The method as claimed in claim 20, further comprising:
judging whether the at least one transmission allowance condition other than the completion of photography is satisfied when it is judged that there is the at least one transmission allowance conditions other than the completion of photography; and

transmitting the photo images when it is judged that the at least one transmission allowance condition other than the completion of photography is satisfied.